

## Amendment to the claims

This listing of claims will replace all prior versions and listings of claims in the application

1. (currently amended): A method for creating a target image with an animated microstructure, where the target image is made of a succession of target image instances which differ from each other by an embedded microstructure which evolves over time, the method comprising the steps of

(a) defining an original image;

(b) defining how the embedded microstructure evolves over the succession of target image instances; and

(c) rendering from the original image ~~a~~ the succession of target image instances comprising ~~the evolving said~~ embedded microstructure evolving over time,

where the microstructure represents ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament ~~visual motive~~ and

where the target image instances are rendered by dithering.

2. (canceled)

3. (original): The method of claim 1, where only a part of the original image is rendered with an animated microstructure, that part being specified during an additional mask definition step.

4. (currently amended): The method of claim 1, where an additional step enables to specify a set of basic colors for rendering said target image instances.

5. (currently amended): The method of claim 4, where ~~the succession of said~~ target image instances ~~is~~ are rendered by dithering at least one of the basic colors with a dither matrix embedding the microstructure and where the evolution of the embedded microstructure is defined by an animation transformation mapping between an animated dither matrix space and an original dither matrix space paved by the dither matrix.

6. (original): The method of claim 5, where the embedded microstructure is made more flexible by an additional warping transformation mapping between a target image space containing the target image and the animated dither matrix space.

7. (original): The method of claim 4, where rendering of target image instances is carried out by multicolor dithering with the defined set of basic colors and with a dither matrix embedding the microstructure.

8. (original): The method of claim 7, where the evolution of the embedded microstructure is defined by an animation transformation mapping between an animated dither matrix space and an original dither matrix space paved by the dither matrix.

9. (original): The method of claim 8, where the embedded microstructure is improved by an additional warping transformation mapping between a target image space containing the target image and the animated dither matrix space.

10. (original): The method of claim 1, where the evolution of the microstructure over time comprises a blending between two microstructure shapes.

11. (canceled)

12. (currently amended): The method of claim 1, where the ~~succession~~ of target image instances is rendered by dithering separately at least one of the original image color layers with a dither matrix embedding the microstructure and where the evolution of the embedded microstructure is defined by an animation transformation mapping between an animated dither matrix space and an original dither matrix space paved by the dither matrix.

13. (original): The method of claim 12, where the embedded microstructure is made more flexible by an additional warping transformation mapping between a target image space containing the target image and the animated dither matrix space.

14. (currently amended): A method for creating a target image with a microstructure evolving in successive image instances, comprising initialization and image rendering steps, where the initialization steps comprise

(a) selecting color information necessary for rendering the target image;

(b) selecting a microstructure;

(c) selecting of a time-dependent animation transformation allowing the microstructure to evolve over time;

where the rendering steps comprise an update of the current instance of the animation transformation when a new instance of the target image is to be rendered and further comprise rendering of the new instance of the target image by dithering; and

where the microstructure represents ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament ~~visual motive~~.

15. (original): The method of claim 14, where the initialization steps also comprise selecting a mask specifying regions of the original image that are to be rendered with the selected microstructure.

16. (original): The method of claim 15, where a multi-valued mask expresses the weight of original image colors and the weight of the selected basic colors in the target image.

17. (original): The method of claim 16, where color information is expressed as a set of basic colors, where the initialization steps also comprise a tetrahedrization of the color space according to said set of basic colors, and where the rendering steps comprise a conversion from original image colors to basic colors making use of said tetrahedrization.

18. (original): The method of claim 17, where the initialization steps also comprise a 3D grid data structure pointing to tetrahedra intersecting individual grid elements, and where the conversion from

an original image color  $C_r$  to basic colors is carried out by

- (a) locating a tetrahedron enclosing original image color  $C_r$ ;
- (b) by expressing  $C_r$  as a barycentric combination of four basic colors  $C_a$ ,  $C_b$ ,  $C_c$  and  $C_d$  located at the tetrahedron's vertices; and
- (c) by applying multicolor dithering to select from the four basic colors the color to be applied at a current target image location.

19. (original): The method of claim 14, where the initialization steps also comprise the selection of a warping transformation.

20. (currently amended): A method for creating a target image with an embedded microstructure evolving in successive image instances comprising the steps of

- (a) defining an original image, an original microstructure, color information used for rendering the target image and a time-dependent animation transformation;
- (b) traversing a target image  $(x,y)$  pixel by pixel and row by row, determining corresponding positions in the original image  $(x',y')$  and, according to the time-dependent animation transformation, corresponding positions in the original microstructure  $(x'',y'')$ ;
- (c) obtaining from the original image position  $(x',y')$  the color  $C_r$  to be reproduced and from the original microstructure position  $(x'',y'')$  rendering information;
- (d) rendering the target image by making use of the rendering information;

where the microstructure represents ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament; ~~visual motive~~ and

where said image instances are rendered by dithering.

21. (original): The method of claim 20, where an additional a mask is defined whose values define which parts of the original image are rendered with an embedded microstructure.

22. (original): The method of claim 21, where the mask values specify microstructure appearance properties such as visibility, position and spatial extension.

23. (original): The method of claim 20, where the embedded microstructure is made more flexible by defining an additional warping transformation.

24. (currently amended): An image with an embedded microstructure evolving over time, where from far away mainly the image is visible and from nearby mainly the evolving microstructure is visible, where said image is displayed as a succession of image instances, each image instance differing from previous image instances by the microstructure evolution and

where the microstructure represents ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament ~~visual motive~~.

25. (original): The image of claim 24, where the visibility of the embedded microstructure is tuned by a mask whose values represent relative weights of an original image without embedded microstructure and a corresponding image synthesized with the embedded microstructure.

26. (original): The image of claim 25, where the mask values evolving over time yield apparent changes in at least one of the embedded microstructure appearance properties selected from the set of visibility, position and spatial extension properties.
27. (original): The image of claim 25, where contributions of original image and embedded microstructure image according to their relative weights are spatially distributed.
28. (original): The image of claim 24, where the embedded microstructure is synthesized by a dithering method taking as input an original image and producing a dithered image, said dithering method being selected from the set of standard dithering and multicolor dithering methods.
29. (original): The image of claim 28, where the visibility of the embedded microstructure is tuned by a mask whose values represent the relative weights of the original image and the dithered image.
30. (original): The image of claim 29, where the mask values evolving over time yield apparent changes in at least one of the embedded microstructure appearance properties selected from the set of visibility, position and spatial extension properties.
31. (currently amended): An image animation with an embedded microstructure evolving over time, where from far away mainly the image animation is visible and from nearby mainly the evolving microstructure is visible, where, when seen from nearby, frames differentiate themselves from previous frames also due to microstructure evolution and where the microstructure represents ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament ~~visual motive~~.
32. (original): The image animation of claim 31, where the visibility of the embedded microstructure is tuned by a mask whose values represent relative weights of an original image animation without embedded microstructure and a corresponding image animation synthesized with an embedded microstructure.
33. (original): The image animation of claim 32, where the mask values evolving over time yield apparent changes in at least one of the embedded microstructure appearance properties selected from the set of visibility, position and spatial extension properties.
34. (currently amended): A computing system capable of displaying an image with an embedded microstructure evolving over time, said microstructure representing ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament ~~visual motive~~, where from far away mainly the image is visible and from nearby mainly the evolving microstructure is visible, said computing system comprising a server computing system, where the image is stored as a sequence of image instances and comprising a client computing system capable of receiving the sequence of image instances from the server computing system and capable of displaying said sequence.
35. (original): The computing system of claim 34, where the server computing system is a Web server and where the sequence of image instances is displayed by the client computing system within a Web page.

36. (currently amended): A computing system capable of displaying a target image with an embedded microstructure evolving over time, said microstructure representing ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament ~~visual motive~~, where from far away mainly the image is visible and from nearby mainly the evolving microstructure is visible, said computing system comprising a server computing system and a client computing and display system, where the client computing and display system receives from the server computing system as input data an original color image, microstructure data and microstructure evolution parameters and where the client computing and display system synthesizes and displays the target image with the embedded microstructure on the fly.

37. (original): The computing system of claim 36, where the transmitted microstructure data comprises a dither matrix, where the microstructure evolution parameters comprise an animation transformation and where the target image is a dithered image generated by a method selected from the set of standard dithering and multicolor dithering methods.

38. (original): The computing system of claim 37, where the microstructure evolution parameters also comprise a warping transformation and where the client computing and display system also receives from the server computing system as input data a mask whose values represent relative weights of the original color image and of the dithered image, the mask defining the position and visibility of the microstructure within the target image.

39. (currently amended): A computer data signal embodied in a carrier wave for offering processing and display services comprising the display of an image with an embedded microstructure evolving over time, said microstructure representing ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament ~~visual motive~~, where from far away mainly the image is visible and from nearby mainly the evolving microstructure is visible, said computer data signal being issued from a server computing system and transmitted to a client computing system.

40. (original): The computer data signal of claim 39, wherein the server computing system is a Web server.

41. (currently amended): A computer data signal embodied in a carrier wave comprising instructions and data for offering image processing and display services, the computer data signal being directed to a client computing system for the display of a target image with an embedded microstructure evolving over time, said microstructure representing ~~an~~ at least one visual motive element selected from the set of text, logo, symbol and ornament ~~visual motive~~, where from far away mainly the image is visible and from nearby mainly the evolving microstructure is visible.

42. (original): The computer data signal of claim 41 where the data comprises an original color image, microstructure data and microstructure evolution parameters.

43. (original): The computer data signal of claim 42, where the microstructure data comprises a dither matrix, where the microstructure evolution parameters comprise an animation transformation and where the target image is a dithered image generated by a method selected from the set of standard dithering and multicolor dithering methods.

44. (new): A method for creating a target image with an animated microstructure, where the target image is made of a succession of target image instances which differ from each other by an embedded microstructure which evolves over time, the method comprising the steps of

(a) defining an original image;

(b) defining how the embedded microstructure evolves over the succession of target image instances;  
and

(c) rendering from the original image said succession of target image instances comprising said embedded microstructure evolving over time;

where the microstructure represents at least one visual motive element selected from the set of text, logo, symbol and ornament and

where said target image instances are rendered by converting original image intensities into an element selected from the set of microstructure surface coverages and microstructure colors.

45. (new): The method of claim 44, where the microstructure conveys publicity.